



Allegany County Emergency Services Board

Truck without Pump Check Checklist

| YES | NO | # | Apparatus/Equipment Requirements |
|-----|----|----|---|
| | | 1 | All apparatus shall meet Maryland Department of Transportation Standards – lighting, axle loads, tire size, frame capacities, height, length, width, etc. Annual DOT inspection paperwork shall be carried on the apparatus. |
| | | 2 | Shall be equipped with the appropriate emergency vehicle warning devices required by the Maryland Motor Vehicle Code, including functional emergency warning lights and emergency audible warning devices. |
| | | 3 | (2) or more-wheel chocks, mounted or stored in readily accessible locations |
| | | 4 | (1) Traffic vest for each seating position, to comply with ANSI/ISEA 207 and have a five-point breakaway feature. |
| | | 5 | (4) Traffic control devices (ie: flares, cones, etc.) |
| | | 6 | (1) Allegany County Mobile Radio provided by DES |
| | | 7 | (1) Allegany County Portable Radio per riding position. |
| | | 8 | Two-Way Communication from turntable to tip of ladder. |
| | | 9 | If the aerial fire apparatus does not have a pre-piped waterway provided, the following equipment shall be furnished: <ol style="list-style-type: none">Manual ladder pipe with 1 1/4 inch, 1 3/8 inch, and 1 1/2 inch tips or electric ladder pipe with automatic nozzle that can be attached to the aerial ladderSufficient lengths of 3 inch or larger attack hose to reach between the installed ladder pipe and the ground with addition 10 ft of hose available(1) hose strap for each ladder sectionHalyards to control the ladder pipe from the ground level (manual only) |
| | | 10 | (1) Self-contained breathing apparatus (SCBA) for each assigned seating position, but not fewer than four, mounted in brackets fastened to the apparatus or stored in containers supplied by the manufacturer |
| | | 11 | (1) Spare SCBA cylinder for each SCBA carried, each mounted in a bracket fastened to the apparatus or stored in a specially designed storage space |
| | | 12 | Shall carry a minimum of 115 ft of fire department ground ladders including: (1) 14-foot Roof Ladder with folding hooks (Fire Service Approved) (2) Extension Ladders (Fire Service Approved) (1) 10-foot Folding Ladder with bracket <ol style="list-style-type: none">Stepladders and other multipurpose ladders meeting ANSI A14.2 or A14.5 with duty ratings of Type 1A or 1AA shall be permitted to be substituted for the folding ladder requirement.Stepladders and other multipurpose ladders shall be permitted to be carried in addition to the minimum fire department ground ladders provided they meet either ANSI A14.2 or A14.5 with duty ratings of Type 1A or 1AA. |
| | | 13 | (1) 24" Bolt Cutters minimum |
| | | 14 | (2) Sledge Hammers |
| | | 15 | (4) Pike poles or Plaster hooks |
| | | 16 | (2) Crowbars/Halligan Bars |

| | | | |
|--|--|----|---|
| | | 17 | (1) Pick Head Axe (Fire Service Approved) |
| | | 18 | (1) Flat Head Axe (Fire Service Approved) |
| | | 19 | (4) Portable hand lights |
| | | 20 | (1) Dry chemical portable fire extinguisher with a minimum 80-B:C rating |
| | | 21 | (1) 2 ½ gallon or larger water extinguisher |
| | | 22 | (4) Spanner Wrenches |
| | | 23 | (2) Adjustable Hydrant Wrenches |
| | | 24 | (1) 2 ½" Double Female couplings |
| | | 25 | (1) 2 ½" Double Male couplings |
| | | 26 | (1) Rubber Mallet |
| | | 27 | (4) Salvage Covers 12' by 14' minimum |
| | | 28 | (4) Ladder belts |
| | | 29 | (2) 150 feet of 9,000 lb. tensile strength Kernmantle Life Line (Utility Ropes at the discretion of the Fire Department) |
| | | 30 | (2) 150 ft length of utility rope having a breaking strength of at least 5000 lbs |
| | | 31 | (1) Smoke ejector/PPV Fan, 5000 cubic ft per minute minimum capacity |
| | | 32 | (1) Power saw (ie: Chain saw, K-12, etc.) |
| | | 33 | (1) RIT Pack |
| | | 34 | First aid kit large enough to carry all the required items below: <ul style="list-style-type: none"> a. 12 - Sterile gauze pads 4x4 b. 4 – Sterile dressings 5x9 c. 1 – Hemostatic impregnated dressing d. 8 – Rolls Self-adhering gauze bandages (various sizes 2" to 6") e. 4 – Cravats (triangular bandages) minimum 36"x36" f. 2 – Cold Packs g. 1 – Bottle normal saline or sterile water h. 2 – Commercially available tourniquet capable of stopping arterial blood flow i. 1 – Ring Cutter (Optional) j. 1 – Bandage scissors or rescue shears k. 1 – Penlight l. 1 – Stethoscope m. 1 – Glucometer Kit – with lancets, test strips, alcohol wipes, band-aids (Optional) n. 1 – Adult Regular B/P Cuff o. 1 – Adult Large B/P Cuff p. 1 – Child B/P Cuff q. 6 – Pairs Non-Latex Gloves r. 1 – Portable Sharps Container s. 1 – Pulse Oximeter (Optional) |
| | | 35 | (1) Box of tools to include the following: <ul style="list-style-type: none"> a. (1) hacksaw with three blades b. (1) keyhole saw c. (1) 12 inch pipe wrench d. (1) 24 inch pipe wrench e. (1) ballpeen hammer f. (1) pair of tin snips g. (1) pair of pliers h. (1) pair of lineman's pliers i. Assorted types and sizes of screwdrivers j. Assorted adjustable wrenches |

| | | | |
|----------------------|-----------|----------|---|
| | | | k. Assorted combination wrenches |
| Y E S | NO | # | Apparatus/Equipment Recommended (But not required) |
| | 36 | | (1) Fire Extinguisher CO2 |
| | 37 | | (1) Fire service claw tool (ie: Halligan, A-Tool, etc.) |
| | 38 | | (4) Ladder Straps, rope, or chain hose tools |
| | 39 | | (4) Salvage Covers 12' by 14' minimum (in addition to 4 above) |
| | 40 | | (2) Floor runners at least 3 ft x 18 ft |
| | 41 | | (4) Mops |
| | 42 | | (2) Mop wringers with buckets |
| | 43 | | (4) Brooms |
| | 44 | | (4) Squeegees with handles |
| | 45 | | (2) 10-ton hydraulic jacks |
| | 46 | | (2) 20-ton hydraulic jacks |
| | 47 | | (2) Shovel (1-pointed & 1-Scoop) |
| | 48 | | (1) Pair of insulated wire cutter capable of cutting 6AWG wire |
| | 49 | | (1) 2 1/2 inch hydrant valve |
| | 50 | | (1) 3000W portable generator if the apparatus does not have a fixed line voltage power source |
| | 51 | | (3) 500W portable lights |
| | 52 | | (2) Cord reels or other means to store and deploy 400 ft of electric cord with connectors |
| | 53 | | (3) 2-wire to 3-wire adapters |
| | 54 | | (1) Roll, 15 lb. tar paper or plastic sheeting at least 8 mil thick |
| | 55 | | (2) Claw hammers, each with assorted nails |
| | 56 | | (1) Heavy-duty stapler |
| | 57 | | (12) Standard sprinkler heads |
| | 58 | | (6) Sprinkler stops or wedges |
| | 59 | | (1) Set of sprinkler head wrenches for the type of heads carried |
| | 60 | | (2) Pairs of safety goggles |
| | 61 | | (4) Assorted handsaws and blades |
| | 62 | | (1) Portable thermal cutting unit designed for cutting metal |
| | 63 | | (1) Rescue-type tool with extension rams and assorted lengths of chain |
| | 64 | | (1) Set of air bags |
| | 65 | | (1) Power-operated deodorizer unit |
| | 66 | | (1) Water pickup vacuum |
| | 67 | | Assorted rolls of tape |
| | 68 | | (1) Pneumatic rescue cushion |
| | 69 | | (1) Stokes basket with lacing and harness |
| | 70 | | (1) Gas shutoff wrench |
| | 71 | | (1) Submersible type pump |
| | 72 | | (2) Pairs of lineman's gloves with leather glove protectors |
| | 73 | | (4) Bale/mattress hooks |
| | 74 | | (2) Four-tine forks |
| | 75 | | (2) Two blankets |
| | 76 | | (1) Block and tackle |
| | 77 | | (1) Line gun with ammunition |

| | | | |
|--|--|----|--|
| | | 78 | (1) Water shutoff wrench |
| | | 79 | (1) Automated external defibrillator (AED) |

| | | | | |
|-----------------------|----------------------------|--|-------|-------|
| Date: | Pass: | | Fail: | |
| Company Name: | | | | |
| Unit Number: | Re-Test Date: | | Pass: | Fail: |
| Equipment Checked By: | Fire Dept. Representative: | | | |